



TUNG-SOL*

*Reg. T/M Wagner Electric Corporation

Price List

A-2

MINIATURE AND SEALED BEAM LAMPS

DEALER AND QUANTITY CONSUMER† NET PRICE SCHEDULE

Supersedes Issue of Dec. 21, 1970

Date: April 20, 1972

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE
TUNG-SOL MINIATURE LAMPS

Tung-Sol Lamp Number	Retail Price (Per Lamp)	Dealer Net Price (Pkg. of 10)	Service	Rated Volts	Candlepower or Amperes	Bulb	Base
PR2	\$0.26	\$1.59	Flashlight—2 D Cells	2.38	.50 A	B-3½	Min. Flg.
PR3	.26	1.59	Flashlight—3 D Cells	3.57	.50 A	B-3½	Min. Flg.
PR4	.27	1.60	Flashlight—2 C Cells	2.33	.27 A	B-3½	Min. Flg.
PR5	.48	2.87	Flashlight—2 D Cells	2.35	.35 A	B-3½	Min. Flg.
PR6	.26	1.59	Flashlight—2 D Cells	2.47	.30 A	B-3½	Min. Flg.
PR7	.36	2.17	Flashlight—3 D Cells	3.70	.30 A	B-3½	Min. Flg.
PR8	.45	2.74	Flashlight—2 Volt Storage	1.9	.60 A	B-3½	Min. Flg.
PR9	.40	2.37	Flashlight—2 D Cells	2.7	.15 A	B-3½	Min. Flg.
PR12	.27	1.60	Flashlight—5 D Cells	5.95	.50 A	B-3½	Min. Flg.
PR13	.26	1.59	Flashlight—4 F Cells	4.75	.50 A	B-3½	Min. Flg.
PR15	.28	1.68	Hand Lantern—8 D or Equiv.	4.8	.50 A	B-3½	Min. Flg.
PR16	.35	2.10	Hand Lantern—12 Volt	12.5	.25 A	B-3½	Min. Flg.
PR17	.40	2.37	Hand Lantern—4 F Cells	4.8	.30 A	B-3½	Min. Flg.
PR18	.39	2.36	Flashlight—6 D Cells	7.2	.55 A	B-3½	Min. Flg.
4	2.04	12.26	Instrument Exciter	2.5	.40 A	TL-1¾	Special
4S	3.88	23.26	Instrument Exciter	2.5	.40 A	TL-1¾	Special
10	.43	2.60	Indicator	2.5	.50 A	G-3½	Min. 2 Pin
12	.36	2.13	Indicator	6.3	.15 A	G-3½	Min. 2 Pin
13	.22	1.34	Flashlight—3 D Cells	3.70	.30 A	G-3½	Min. Screw
14	.22	1.34	Flashlight—2 D Cells	2.47	.30 A	G-3½	Min. Screw
15	.71	4.27	Indicator	7.0	.40 A	G-4½	Min. 2 Pin
19	.50	2.97	Indicator	12	1 C.P. (Nom.)	G-3½	Min. 2 Pin
20	.46	2.77	Indicator	12	2 C.P. (Nom.)	G-3½	Min. 2 Pin
27	.27	1.61	Hand Lantern—4 F Cells	4.9	.30 A	G-4½	Min. Screw
31	.34	2.04	Flashlight—5 D Cells	6.15	.30 A	G-4½	Min. Screw
35	.57	3.44	Hand Lantern—2 #6 Cells	2.5	.80 A	G-5½	Min. Screw
40	.18	1.10	Radio	6	.15 A	T-3¼	Min. Screw
41	.36	2.14	Radio	2.5	.50 A	T-3¼	Min. Screw
42	.47	2.80	Radio	3.2	.35 A	T-3¼	Min. Screw
43	.36	2.14	Radio	2.5	.50 A	T-3¼	Min. Bay.
44	.19	1.11	Radio	6	.25 A	T-3¼	Min. Bay.
45	.31	1.83	Radio	3.2	.35 A	T-3¼	Min. Bay.
46	.18	1.09	Radio	6	.25 A	T-3¼	Min. Screw
47	.19	1.11	Radio	6	.15 A	T-3¼	Min. Bay.
48	.36	2.14	Radio	2.0	.06 A	T-3¼	Min. Screw
49	.30	1.80	Radio	2.0	.06 A	T-3¼	Min. Bay.
50	.22	1.31	Radio Panel	6	1 C.P. (Nom.)	G-3½	Min. Screw
51	.19	1.15	Auto	6	1 C.P. (Nom.)	G-3½	Min. Bay.
52	.46	2.79	Indicator	12	1 C.P. (Nom.)	G-3½	Min. Screw
*53	.21	1.28	Indicator	12	1 C.P. (Nom.)	G-3½	Min. Bay.
53R	.38	2.29	Indicator—Coated Red	12	1 C.P. (Nom.)	G-3½	Min. Bay.
53X	.29	1.74	Auto	12	1 C.P. (Nom.)	G-3½	Min. Bay.
*55	.22	1.29	Auto	6	2 C.P. (Nom.)	G-4½	Min. Bay.
*57	.22	1.31	Auto	12	2 C.P. (Nom.)	G-4½	Min. Bay.
*57X	.24	1.44	Auto	12	2 C.P. (Nom.)	G-4½	Min. Bay.
*63	.27	1.63	Auto	6	3 C.P.	G-6	S. C. Bay.
63K	1.15	6.90	Instrument	6	3 C.P.	G-6	Cand. Screw
64	.37	2.21	Auto	6	3 C.P.	G-6	D. C. Bay.
*67	.28	1.71	Auto	12	4 C.P.	G-6	S. C. Bay.
67A	.39	2.34	Auto—Coated Amber	12	4 C.P.	G-6	S. C. Bay.
67K	.97	5.84	Instrument	12	4 C.P.	G-6	Cand. Screw
68	.41	2.46	Auto	12	4 C.P.	G-6	D. C. Bay.
71	1.11	6.67	Auto	18-24	3 C.P.	G-6	S. C. Bay.
71K	.97	5.84	Instrument	18-24	3 C.P.	G-6	Cand. Screw
72	.60	3.60	Auto	18-24	3 C.P.	G-6	D. C. Bay.
81	.32	1.94	Auto	6	6 C.P.	G-6	S. C. Bay.
82	.32	1.94	Auto	6	6 C.P.	G-6	D. C. Bay.
87	.51	3.06	Auto	6	15 C.P.	S-8	S. C. Bay.
88	.51	3.04	Auto	6	15 C.P.	S-8	D. C. Bay.
*89	.29	1.72	Auto	12	6 C.P.	G-6	S. C. Bay.

†—Truck fleets, bus and taxi companies, etc.

●●—Fleet Duty.

★—Blister pack available.

●—Heavy Duty - Extra service.

Jim Sollberg's Vintage Snowmobiles
 www.bayshorecad.com/Sleds
 Provided courtesy of Dan Tomlanovich

TUNG-SOL MINIATURE LAMPS — Continued

Tung-Sol Lamp Number	Retail Price (Per Lamp)	Dealer Net Price (Pkg. of 10)	Service	Rated Volts	Candlepower or Amperes	Bulb	Base
89K	\$1.12	\$6.70	Instrument	12	6 C.P.	G-6	Cand. Screw
★90	.30	1.79	Auto	12	6 C.P.	G-6	D. C. Bay.
★93	.43	2.57	Auto	12	15 C.P.	S-8	S. C. Bay.
93-IF	.65	3.91	Auto—Inside Frost	12	15 C.P.	S-8	S. C. Bay.
★94	.48	2.90	Auto	12	15 C.P.	S-8	D. C. Bay.
97	.34	2.02	Auto	12	4 C.P.	G-6	S. C. Bay.
97A	.42	2.50	Auto Amber	12	4 C.P.	G-6	S. C. Bay.
●●98	.30	1.82	Auto—Heavy Duty	12	6 C.P.	G-6	S. C. Bay.
●●105	.44	2.63	Auto—Heavy Duty	12.8	12 C.P.	B-6	S. C. Bay.
112	.22	1.34	Flashlight—1 AA Cell	1.20	.22 A	TL-3	Min. Screw
114	.47	2.80	Flashlight—1 AA Cell	1.20	.20 A	TL-2 ³ / ₄	Special
123	.24	1.43	Flashlight—1 C or D Cell	1.25	.30 A	G-3 ¹ / ₂	Min. Screw
130	.29	1.73	Indicator	6.3	.15 A	G-3 ¹ / ₂	Min. Bay.
131	.26	1.56	Bicycle—1 D Cell	1.30	.10 A	G-3 ¹ / ₂	Min. Screw
136	.31	1.87	Flashlight—1 #6 Cell	1.25	.60 A	G-4 ¹ / ₂	Min. Screw
137	.30	1.77	Indicator	6.3	.25 A	G-3 ¹ / ₂	Min. Bay.
158	.28	1.65	Auto	12	2 C.P.	T-3 ¹ / ₄	Wedge
159	.35	2.11	Radio and Indicator	6	.15 A	T-3 ¹ / ₄	Wedge
161	.28	1.66	Auto and Indicator	12	1 C.P.	T-3 ¹ / ₄	Wedge
168	.29	1.72	Auto	12	1 C.P.	T-3 ¹ / ₄	Wedge
●●184	.36	2.15	Auto—Heavy Duty	12	1 C.P.	T-3 ¹ / ₄	Wedge
●●193	.29	1.75	Auto—Heavy Duty	12	2 C.P.	T-3 ¹ / ₄	Wedge
★194	.27	1.63	Panel Indicator	14	2 C.P.	T-3 ¹ / ₄	Wedge
194A	.51	3.03	Auto Amber	14	2 C.P.	T-3 ¹ / ₄	Wedge
●●198	.67	4.03	Auto—Heavy Duty	12	32-3 C.P.	S-8	D. C. Index
●●199	.65	3.87	Auto—Heavy Duty	12	32 C.P.	S-8	S. C. Index
209	.56	3.35	Auto	6	15 C.P.	B-6	S. C. Bay.
210	.51	3.06	Auto	6	15 C.P.	B-6	D. C. Bay.
★211-2	.47	2.82	Auto	12	12 C.P.	T-3	Double End
212-2	.54	3.24	Auto	12	6 C.P.	T-3	Double End
219	.57	3.40	Indicator	6.3	.50 A	G-3 ¹ / ₂	Min. Bay.
222	.22	1.34	Flashlight—2 AA Cells	2.25	.25 A	TL-3	Min. Screw
224	.31	1.86	Flashlight—2 AA Cells	2.15	.22 A	TL-2 ³ / ₄	Special
233	.33	1.96	Flashlight—2 C Cells	2.33	.27 A	G-3 ¹ / ₂	Min. Screw
239	.42	2.53	Radio	6.3	.36 A	T-3 ¹ / ₄	Min. Bay.
240	.38	2.27	Radio	6.3	.36 A	T-3 ¹ / ₄	Min. Bay.
242	.40	2.37	TV Chan. Indr.	6.3	.15 A	T-3 ¹ / ₄	Min. Bay.
243	.31	1.86	Flashlight—2 C Cells	2.33	.27 A	TL-3	Min. Screw
245	.34	2.06	Flashlight—2 D Cells	2.46	.50 A	G-3 ¹ / ₂	Min. Screw
250	.51	3.06	Radio	12	.12 A	G-3 ¹ / ₂	Min. Bay.
259	.28	1.67	Radio and Indicator	6	.25 A	T-3 ¹ / ₄	Wedge
●●293	.27	1.63	Auto—Radio	12	2 C.P.	G-4 ¹ / ₂	Min. Bay.
301	.60	3.62	Aviation	28	3 C.P.	G-5	S. C. Bay.
302	.57	3.43	Aviation	28	3 C.P.	G-5	D. C. Bay.
303	.57	3.40	Aviation	28	6 C.P.	G-6	S. C. Bay.
304	.69	4.15	Aviation	28	6 C.P.	G-6	D. C. Bay.
305	.85	5.10	Aviation	28	15 C.P.	S-8	S. C. Bay.
305-IF	.98	5.88	Aviation—Inside Frost	28	15 C.P.	S-8	S. C. Bay.
306	1.43	8.58	Aviation	28	15 C.P.	S-8	D. C. Bay.
307	.85	5.10	Aviation	28	21 C.P.	S-8	S. C. Bay.
307-IF	.98	5.88	Aviation—Inside Frost	28	21 C.P.	S-8	S. C. Bay.
307R	1.67	10.00	Aviation—Coated Red	28	21 C.P.	S-8	S. C. Bay.
308	1.00	6.00	Aviation	28	21 C.P.	S-8	D. C. Bay.
309	1.13	6.80	Aviation	28	32 C.P.	S-11	S. C. Bay.
310	1.27	7.62	Aviation	28	32 C.P.	S-11	D. C. Bay.
311	1.24	7.41	Aviation	28	50 C.P.	S-11	S. C. Bay.
311R	1.66	9.97	Aircraft—Coated Red	28	50 C.P.	S-11	S. C. Bay.
312	2.61	15.64	Aviation	28	50 C.P.	S-11	D. C. Bay.
313	.46	2.75	Aviation	28	.17 A	T-3 ¹ / ₄	Min. Bay.
313R	.89	5.35	Aviation—Coated Red	28	.17 A	T-3 ¹ / ₄	Min. Bay.
315	1.43	8.58	Aviation	28	32 C.P.	S-8	S. C. Bay.
327	.91	5.44	Aviation	28	.04 A	T-1 ³ / ₄	S. C. Midget Fig.
327R	1.35	8.08	Aviation—Coated Red	28	.04 A	T-1 ³ / ₄	S. C. Midget Fig.
327X	1.50	9.08	Aviation—Ruggedized	28	.04 A	T-1 ³ / ₄	S. C. Midget Fig.
328	.72	4.30	Aviation	6	.20 A	T-1 ³ / ₄	S. C. Midget Fig.
328R	1.35	8.08	Aviation—Coated Red	6	.20 A	T-1 ³ / ₄	S. C. Midget Fig.
330	1.21	7.28	Indicator	14	.08 A	T-1 ³ / ₄	S. C. Midget Fig.
331	1.36	8.17	Aviation	1.38	.04 A	T-1 ³ / ₄	S. C. Midget Fig.
334	1.36	8.16	Aviation	28	.04 A	T-1 ³ / ₄	Midget Grooved
335	2.13	12.76	Indicator	28	.04 A	T-1 ³ / ₄	Mid. Screw
337	2.40	14.39	Instrument	6	.20 A	T-1 ³ / ₄	Mid. Grooved
338	1.21	7.27	Indicator	2.7	.06 A	T-1 ³ / ₄	S. C. Midget Fig.
342	2.44	14.68	Indicator	6	.04 A	T-1 ³ / ₄	S. C. Midget Fig.
344	1.91	11.45	Indicator	10	.014 A	T-1 ³ / ₄	S. C. Midget Fig.
345	2.11	12.65	Indicator	6	.04 A	T-1 ³ / ₄	S. C. Midget Fig.
346	1.75	10.53	Indicator	18	.04 A	T-1 ³ / ₄	Mid. Grooved
349	1.50	9.00	Indicator	6.3	.20 A	T-1 ³ / ₄	S. C. Midget Fig.
350	1.60	9.62	Aircraft Indicator	6.3	.15 A	T-1 ³ / ₄	S. C. Midget Fig.
356	.85	5.10	Aviation	28	.17 A	G-3 ¹ / ₂	Min. Bay.
363	.32	1.90	Toy Train	14	.20 A	G-3 ¹ / ₂	Min. Bay.

●●—Fleet Duty.

★—Blister pack available.

●—Heavy Duty - Extra service.

TUNG-SOL MINIATURE LAMPS — Continued

Tung-Sol Lamp Number	Retail Price (Per Lamp)	Dealer Net Price (Pkg. of 10)	Service	Rated Volts	Candlepower or Amperes	Bulb	Base
365	\$.37	\$ 2.24	Flashlight—3 D Cells	3.69	.50 A	G-3½	Min. Screw
367	2.07	12.49	Indicator	10	.04A	T-1¾	S. C. Midget Fig.
370	2.11	12.65	Indicator	18	.04 A	T-1¾	S. C. Mid. Fig.
373	2.42	14.53	Indicator	14	.08 A	T-1¾	Mid. Screw
382	1.79	10.72	Indicator	14	.08 A	T-1¾	S. C. Midget Fig.
384	2.59	15.50	Indicator	11	.025 A	T-1¾	S. C. Midget Fig.
387	1.02	6.12	Indicator	28	.04 A	T-1¾	S. C. Midget Fig.
425	.29	1.74	Hand Lantern—4 F Cells	5.0	.50 A	G-4½	Min. Screw
428	.35	2.09	Toy Train	12.5	.25 A	G-4½	Min. Screw
431	.42	2.50	Toy Train	14	.25 A	G-4½	Min. Bay.
433	.42	2.53	Toy Train	18	.25 A	G-4½	Min. Bay.
502	.24	1.43	Lantern—4 F Cells	5.10	.15 A	G-4½	Min. Screw
502G	.55	3.29	Lantern—Coated Green	5.10	.15 A	G-4½	Min. Screw
503	.32	1.90	Hand Lantern	5.10	.15 A	G-4½	Min. Bay.
561	.46	2.80	Auto	12	12 C.P.	T-3	Special Wedge
562	.46	2.80	Auto	12	6 C.P.	T-3	Special Wedge
563	.46	2.80	Auto	12	4 C.P.	T-3	Special Wedge
564	.46	2.80	Auto	14	2 C.P.	T-3	Special Wedge
566	.46	2.80	Auto	14	1 C.P.	T-3	Special Wedge
605	.33	1.97	Flashlight—5 D Cells	6.15	.50 A	G-4½	Min. Screw
623	.95	5.71	Auto	24-28	6 C.P.	G-6	S. C. Bay.
• 631	.64	3.81	Auto—Heavy Duty	12	6 C.P.	G-6	S. C. Bay.
755	.45	2.67	Indicator	Des. 6.3	.15 A	T-3¼	Min. Bay.
756	.60	3.57	Indicator	14	.08 A	T-3¼	Min. Bay.
757	.66	3.93	Indicator	28	.08 A	T-3¼	Min. Bay.
965	.41	2.49	Hand Lantern	9.84	.50 A	T-4½	Min. Screw
1000	1.68	10.08	Auto	6	32-32 C.P.	RP-11	D. C. Bay.
★ 1003	.42	2.53	Auto	12	15 C.P.	B-6	S. C. Bay.
★ 1004	.42	2.53	Auto	12	15 C.P.	B-6	D. C. Bay.
1005	1.59	9.56	Auto	12	21-21 C.P.	S-8	D. C. Bay.
1016	.77	4.62	Auto	12	21-6 C.P.	S-8	D. C. Index
1021	2.10	12.62	Lantern—4 #6 Cells	4.5	1.25 A	RP-11	S. C. Pref.
1026	3.52	21.10	Auto	12	32-32 C.P.	RP-11	D. C. Pref.
★ 1034	.58	3.47	Auto	12	32-4 C.P.	S-8	D. C. Index
★ 1034A	.75	4.47	Auto—Coated Amber	12	32-4 C.P.	S-8	D. C. Index
1034NA	1.09	6.55	Auto—Natural Amber	12	32-4 C.P.	S-8	D. C. Index
1044	3.69	22.11	Auto	12	35 W/32 C.P.	RP-11	D. C. Pref.
1047	1.81	10.83	Aircraft Signal	26	2.7 A	RP-11	S. C. Bay.
1068	.87	4.38	Auto	12	32-4 C.P.	S-8	D. C. Bay.
★ 1073	.42	2.53	Auto	12	32 C.P.	S-8	S. C. Bay.
1074	3.16	18.94	Auto	12	35 W/4 C.P.	RP-11	D. C. Pref.
1076	.65	3.91	Auto	12	32 C.P.	S-8	D. C. Bay.
•• 1093	.51	3.07	Auto—Heavy Duty	12	15 C.P.	S-8	S. C. Bay.
1095	.70	4.21	Auto	12	4 C.P.	S-8	S. C. Bay.
1124	1.93	11.58	Auto	12	32-32 C.P.	RP-11	D. C. Bay.
★ 1129	.43	2.57	Auto	6	21 C.P.	S-8	S. C. Bay.
1130	.58	3.50	Auto	6	21 C.P.	S-8	D. C. Bay.
★ 1133	.76	4.57	Auto	6	32 C.P.	RP-11	S. C. Bay.
1134	.77	4.62	Auto	6	32 C.P.	RP-11	D. C. Bay.
1141	.42	2.53	Auto	12	21 C.P.	S-8	S. C. Bay.
1142	.48	2.90	Auto	12	21 C.P.	S-8	D. C. Bay.
1143	1.01	6.05	Auto	12	32 C.P.	RP-11	S. C. Bay.
1144	.99	5.93	Auto	12	32 C.P.	RP-11	D. C. Bay.
1145	2.30	13.87	Auto	18-24	27 C.P.	RP-11	S. C. Bay.
★ 1154	.54	3.25	Auto	6	21-3 C.P.	S-8	D. C. Index
• 1155	.48	2.88	Auto—Heavy Duty	12	4 C.P.	G-6	S. C. Bay.
★• 1156	.59	3.52	Auto—Heavy Duty	12	32 C.P.	S-8	S. C. Bay.
★• 1157	.58	3.47	Auto—Heavy Duty	12	32-4 C.P.	S-8	D. C. Index
★• 1157A	.82	4.93	Auto—Coated Amber	12	32-4 C.P.	S-8	D. C. Index
★• 1157NA	1.13	6.78	Auto—Natural Amber	12	32-4 C.P.	S-8	D. C. Index
1158	.58	3.53	Auto	6	21-3 C.P.	S-8	D. C. Bay.
•• 1159	.58	3.45	Auto—Heavy Duty	12	21 C.P.	S-8	S. C. Bay.
1170	2.04	12.20	Auto	6	21-6 C.P.	S-8	D. C. Bay.
★ 1176	.54	3.24	Auto	12	21-6 C.P.	S-8	D. C. Bay.
1178	.45	2.69	Auto Indicator	13.5	4 C.P.	G-6	D. C. Bay.
1178A	.65	3.91	Auto	12	4 C.P.	G-6	S. C. Bay.
1183	.99	5.94	Auto	6	50 C.P.	RP-11	S. C. Bay.
1184	1.07	6.43	Auto	6	50 C.P.	RP-11	D. C. Bay.
1195	1.51	9.06	Auto	12	50 C.P.	RP-11	S. C. Bay.
1196	1.36	8.16	Auto	12	50 C.P.	RP-11	D. C. Bay.
1203	1.60	9.62	Auto—Military	24-28	21 C.P.	S-8	S. C. Bay.
1204	1.76	10.58	Auto—Military	24-28	21 C.P.	S-8	D. C. Bay.
1209	1.91	11.44	Auto—Spotlight	6	32 C.P.	RP-11	S. C. Pref.
1232	Replace with 1178						
1247	.65	3.91	Auto—Military	12	3 C.P.	G-6	S. C. Bay.
1251	.71	4.24	Auto—Military	24-28	3 C.P.	G-6	S. C. Bay.
1252	.79	4.74	Auto—Military	24-28	3 C.P.	G-6	D. C. Bay.
1321	2.08	12.50	Auto	6	32 C.P.	RP-11	S. C. Pref.
1323	1.53	9.16	Auto	6	32 C.P.	RP-11	S. C. Pref.
1327	2.00	12.00	Auto	12	32 C.P.	RP-11	S. C. Pref.

••—Fleet Duty.

★—Blister pack available.

•—Heavy Duty - Extra service.

TUNG-SOL MINIATURE LAMPS — Continued

Tung-Sol Lamp Number	Retail Price (Per Lamp)	Dealer Net Price (Pkg. of 10)	Service	Rated Volts	Candlepower or Amperes	Bulb	Base
1388	\$4.47	\$26.87	Telph Trouble	24	20 W	R-12	D. C. Bay.
1445	.27	1.63	Indicator	18	.15 A	G-3½	Min. Bay.
1446	.42	2.50	Toy Train	12.0	.20 A	G-3½	Min. Screw
1447	.29	1.71	Toy Train	18	.15 A	G-3½	Min. Screw
1449	.23	1.39	Toy Train	14	.20 A	G-3½	Min. Screw
1458	.49	2.93	Coin Machine	20	.25 A	G-5	Min. Bay.
1477	.92	5.52	Indicator	24	.17 A	T-3	Min. Screw
1482	.48	2.90	Bicycle—Headlamp	6	.45 A	G-4½	Min. Screw
1487	.36	2.14	Indicator	12	.20 A	T-3¼	Min. Screw
1488	.38	2.30	Pin Game	14	.15 A	T-3¼	Min. Bay.
1490	.30	1.77	Radio	3.2	.16 A	T-3¼	Min. Bay.
1491	1.52	9.12	Lantern—2 #6 Cells	2.4	.80 A	G-8	D. C. Bay.
1492	2.80	16.82	Lantern—2 #6 Cells	2.5	1.50 A	S-8	D. C. Bay.
1493	1.74	10.42	Instrument	6.5	21 C.P.	S-8	D. C. Bay.
1495	.61	3.63	Aviation	28	.30 A	T-4½	Min. Bay.
1501	2.22	13.34	Auto	6	50 C.P.	RP-11	S. C. Pref.
1503	2.22	13.34	Auto	6	50 C.P.	RP-11	S. C. Pref.
1507	2.70	16.21	Auto	12	50 C.P.	RP-11	S. C. Pref.
1605	1.95	11.69	Special Service	6.4	21 C.P.	S-8	S. C. Bay.
1630	2.27	13.63	Instrument	6.5	23 C.P.	S-8	D. C. Pref. (A)
1651	1.14	6.82	Hand Lantern	5.0	.60 A	S-8	S. C. Bay.
1683	1.38	8.27	Auto—Military	24-28	32 C.P.	S-8	S. C. Bay.
1691	1.73	10.39	Auto—Military	24-28	15 C.P.	S-8	S. C. Bay.
1705	.91	5.50	Indicator	14	.08 A	T-1¾	Wire Term.
1730	1.52	9.17	Indicator	6	.04 A	T-1¾	Wire Term.
1738	.67	4.07	Indicator	2.7	.06 A	T-1¾	Wire Term.
1739	.94	5.68	Indicator	6.3	.075 A	T-1¾	Wire Term.
1748	1.38	8.32	Instrument Exciter	2.5	.40 A	TL-1¾	Wire Term.
1748S	3.49	20.98	Instrument Exciter	2.5	.40 A	T-1¾	Wire Term.
1762	.66	4.07	Indicator	28	.04 A	T-1¾	Wire Term.
1764	.75	4.50	Indicator	28	.04 A	T-1¾	Wire Term.
1767	1.09	6.54	Indicator	2.8	.20 A	T-1¾	Mid. Screw
1768	1.29	7.72	Indicator	6	.20 A	T-1¾	Mid. Screw
1769	1.53	9.17	Indicator	2.5	.20 A	T-1¾	Mid. Screw
1775	1.57	9.45	Indicator	6.3	.075 A	T-1¾	Mid. Screw
1784	1.02	6.26	Indicator	6	.20 A	T-1¾	Wire Term.
1809	.81	4.85	Radio	2	.06 A	T-3¼	Min. Bay.
1810	1.21	7.27	Special Service	6.3	.40 A	T-3¼	Min. Bay.
1813	.38	2.29	Radio	12	.10 A	T-3¼	Min. Bay.
1815	.32	1.94	Indicator	12	.20 A	T-3¼	Min. Bay.
1816	.33	1.97	Auto and Aircraft	13	.33 A	T-3¼	Min. Bay.
1818	1.01	6.05	Aviation	24	.17 A	T-3¼	Min. Bay.
1819	.47	2.82	Aviation	28	.04 A	T-3¼	Min. Bay.
1819X	.66	3.93	Aviation—Ruggedized	28	.04 A	T-3¼	Min. Bay.
1820	.51	3.04	Aviation Instrument	28	.10 A	T-3¼	Min. Bay.
1826	.79	4.73	Coin Machine	18	.15 A	T-3¼	Min. Bay.
1829	.50	2.99	Indicator	28	.07 A	T-3¼	Min. Bay.
1847	.26	1.53	Panel	6.3	.15 A	T-3¼	Min. Bay.
1850	.50	2.97	Signal	5	.09 A	T-3¼	Min. Bay.
1860	1.72	10.49	Indicator	28	.04 A	T-1¾	Wire Term.
1867	.61	3.66	Signal	4	.06 A	T-3¼	Min. Bay.
1869	1.62	9.74	Indicator	10	.014 A	T-1¾	Wire Term.
1881	.43	2.56	Auto Radio	12	.24 A	T-3¼	Min. Bay.
1888	.39	2.34	Auto	6	2 C.P.	T-3¼	Min. Bay.
● 1889	.29	1.74	Auto	12	2 C.P.	T-3¼	Min. Bay.
1890	2.08	12.23	Auto—Military	24	32 C.P.	RP-11	S. C. Bay.
1891	.23	1.37	Radio	12	.23 A	T-3¼	Min. Bay.
1892	.36	2.17	Radio	12	.12 A	T-3¼	Min. Bay.
●● 1893	.26	1.56	Auto—Heavy Duty	14	2 C.P.	T-3¼	Min. Bay.
★ 1895	.31	1.85	Auto—Heavy Duty	12	2 C.P.	G-4½	Min. Bay.
1895A	.65	3.85	Auto—Heavy Duty	12	2 C.P.	G-4½	Min. Bay.
● 1898	.56	3.34	Auto Radio—Heavy Duty	12	2 C.P.	T-3¼	Min. Bay.
2102	1.20	7.31	Indicator	18	.04 A	T-3¼	Wire Term. ⅝"
2107	1.83	11.04	Indicator	10	.04 A	T-1¾	Wire Term.
2112	1.09	6.58	Indicator	6.3	.20 A	T-1¾	Wire Term. ⅝"
2157D	.41	2.45	Indicator	6.3	.15 A	T-3¼	Wire Term.
2169	1.82	10.97	Instrument	2.5	.35 A	T-1¾	1" Wire Term.
2180	1.54	9.28	Indicator	6.3	.02 C.P.	T-1¾	Wire Term. ⅝"
2181	.84	5.04	Indicator	6.3	.37 C.P.	T-1¾	Wire Term. ⅝"
2182	.92	5.49	Indicator	14	.27 C.P.	T-1¾	Wire Term. ⅝"
2185	1.54	9.25	Indicator	28	.04 A	T-1¾	Wire Term.
2187	1.30	7.81	Indicator	28	.30 C.P.	T-1¾	1" Wire Term.
2330	1.91	11.44	Auto	6	32-32 C.P.	RP-11	D. C. Pref.
2331	1.99	11.92	Auto	6	32-32 C.P.	RP-11	D. C. Pref.
2336	2.33	13.97	Auto	12	32-32 C.P.	RP-11	D. C. Pref.
2530	2.22	13.34	Auto	6	50-32 C.P.	RP-11	D. C. Pref.

●●—Fleet Duty.

★—Blister pack available.

●—Heavy Duty - Extra service.

Jim Solberg's Vintage Snowmobiles
 www.bayshotecad.com/Sleds
 Provided courtesy of Dan Tomlanovich

TUNG-SOL SEALED BEAM HEADLAMPS

Tung-Sol Lamp Number	Retail Price (Per Lamp)	Dealer Price (Per Lamp)	Dealer Net Price (Pkg. of 12)	Service	Rated Volts	Watts	Bulb	Base
4000	\$2.89	\$1.74	\$20.88	Auto—Headlamp	12	37½-60 W	PAR-46	3 Lug
4001	2.89	1.74	20.88	Auto—Headlamp	12	37½ W	PAR-46	2 Lug
4002	2.89	1.74	20.88	Auto—Headlamp	12	50-37½ W	PAR-46	3 Lug
■ 4002S	2.89	1.74	20.88	Auto—Headlamp	12	50-37½ W	PAR-46	3 Lug
● 4005	3.56	2.13	25.56	Auto—Heavy Duty Headlamp	12	50-37½ W	PAR-46	3 Lug
●■ 4005S	3.56	2.13	25.56	Auto—Heavy Duty Headlamp	12	50-37½ W	PAR-46	3 Lug
4800	8.42	5.05	60.60	Auto—Military Headlamp	24-28	50-40 W	PAR-56	3 Lug
4803	9.18	5.51	66.09	Auto—Military Headlamp	28	50-40 W	PAR-56	3 Lug
4860	17.64	10.58	126.96	Auto—Military Headlamp	24-28	80-60 W	PAR-56	W. P. Term.
4860A	21.46	12.88	154.56	Auto—Military Headlamp	24-28	80-60 W	PAR-56	W. P. Term.
4863	15.37	9.22	110.64	Auto—Military Headlamp	24-28	80-60 W	PAR-56	W. P. Term.
5001	3.41	2.11	25.30	Auto—Headlamp	12	50 W	PAR-46	2 Lug
6006	3.31	1.99	23.85	Auto—Headlamp	6	50-40 W	PAR-56	3 Lug
■ 6006S	3.31	1.99	23.85	Auto—Headlamp	6	50-40 W	PAR-56	3 Lug
6012	3.26	1.96	23.52	Auto—Headlamp	12	50-40 W	PAR-56	3 Lug
■ 6012S	3.26	1.96	23.52	Auto—Headlamp	12	50-40 W	PAR-56	3 Lug
● 6013	3.87	2.32	27.84	Auto—Heavy Duty Headlamp	12	50-40 W	PAR-56	3 Lug
●■ 6013S	3.87	2.32	27.84	Auto—Heavy Duty Headlamp	12	50-40 W	PAR-56	3 Lug
6014	3.26	1.96	23.52	Auto	12	60-50 W	PAR-56	3 Lug
■ 6014S	3.26	1.96	23.52	Auto—Headlamp	12	60-50 W	PAR-56	3 Lug

●—Heavy Duty - Extra service.

■—Guard-Glo.

TUNG-SOL SEALED BEAM LAMPS

Tung-Sol Lamp Number	Retail Price (Per Lamp)	Dealer Price (Per Lamp)	Dealer Net Price (Pkg. of 8)	Service	Rated Volts	Watts or Amperes	Bulb	Base
4001A	\$5.91	\$3.54	\$28.32	Auto—Amber	12	37½	PAR-46	2 Lug
4001B	5.91	3.54	28.32	Auto Warning—Blue Lens	12	37½ W	PAR-46	2 Lug
4001R	6.47	3.88	31.04	Auto—Signal Red	12-12.8	37½	PAR-46	2 Lug
4002A	5.30	3.19	25.51	Auto—Amber	12.8	50-37½	PAR-46	3 Lug
4002R	11.17	6.70	53.60	Auto—School Bus Red Lens	12.8	50-37½ W	PAR-46	3 Lug
4010	4.06	2.44	19.52	Auto—Driving	6	35 W	PAR-46	Scr. Term.
4012	4.12	2.47	19.76	Auto—Fog—Clear Lens	6	35 W	PAR-46	Scr. Term.
4012A	5.24	3.15	25.16	Auto—Fog—Amber Lens	6	35 W	PAR-46	Scr. Term.
4013	3.72	2.23	17.84	Tractor	6	25 W	PAR-46	Scr. Term.
4014	4.57	2.74	21.92	Auto—Turn Signal	6	18 W	PAR-36	Scr. Term.
4014A	5.03	3.01	24.08	Auto—Turn Signal	6	18 W	PAR-36	Scr. Term.
4015	4.46	2.68	21.44	Auto—Fog—Clear Lens	6	35 W	PAR-36	Scr. Term.
4015A	4.97	2.98	23.84	Auto—Fog—Amber Lens	6	35 W	PAR-36	Scr. Term.
4019	3.72	2.23	17.84	Tractor	6	30 W	PAR-46	Scr. Term.
4020	6.23	3.74	29.92	Cycle	6.4/6.4		PAR-46	3 Lug
4031	4.58	2.75	22.00	Auto—Military	6	45-35 W	PAR-46	3 Lug
4034A	5.74	3.44	27.50	Auto—Amber	6	50 W	PAR-46	Scr. Term.
4078	4.78	2.87	22.96	C.I.M. Floodlamp	6	50 W	PAR-46	2 Lug
4305	7.22	4.33	34.58	Swimming Pool	12	100 W	PAR-56	Scr. Term.
4405	4.78	2.87	22.96	Auto—Spotlamp	12	30 W	PAR-36	Scr. Term.
4406	3.82	2.29	18.32	Tractor Flood (Lens Cover)	12.8	35 W	PAR-36	Scr. Term.
4409	5.05	3.03	24.24	Utility	12.8	35 W	PAR-36	Scr. Term.
4411	3.63	2.18	17.44	Auto—Utility	12	35 W	PAR-36	Scr. Term.
4412	3.69	2.21	17.68	Auto—Fog—Clear Lens	12	35 W	PAR-46	Scr. Term.
4412A	4.62	2.77	22.16	Auto—Fog—Amber Lens	12	35 W	PAR-46	Scr. Term.
4413	3.72	2.23	17.84	Tractor	12	35 W	PAR-46	Scr. Term.
4413R	7.67	4.60	36.80	Red Signal	12	35 W	PAR-46	Scr. Term.
4414	4.54	2.73	21.84	Auto—Turn Signal	12	18 W	PAR-36	Scr. Term.
4414A	5.16	3.10	24.80	Auto—Turn Sig.—Amb. Lens	12	18 W	PAR-36	Scr. Term.
4414R	6.23	3.74	29.92	Auto—Turn Sig.—Red Lens	12	18 W	PAR-36	Scr. Term.
4415	3.69	2.21	17.68	Auto	12	35 W	PAR-36	Scr. Term.
4415-1	4.28	2.57	20.56	Auto	12	35 W	PAR-36	Scr. Term.
4415A	3.88	2.33	18.64	Auto—Fog—Amber Lens	12	35 W	PAR-36	Scr. Term.
4416	3.72	2.23	17.84	Auto—Hand Spotlamp	12	30 W	PAR-36	Scr. Term.
4416A	5.24	3.14	25.12	Auto—Amb. Hand Spotlight	12	30 W	PAR-36	Scr. Term.
4416B	8.58	5.15	41.20	Auto—Police—Blue Lens	12	30 W	PAR-36	Scr. Term.
4416R	7.89	4.73	37.84	Auto—Signal Red	12	30 W	PAR-36	Scr. Term.
4419	3.72	2.23	17.84	Tractor	12	35 W	PAR-46	Scr. Term.
4420	5.21	3.13	25.04	Motorcycle	12	30/30 W	PAR-46	3 Lug
4421	7.72	4.63	37.04	Auxiliary	13	100 W	PAR-36	Slip On

●●—Fleet Duty.

★—Blister pack available.

●—Heavy Duty - Extra service.

Jim Solberg's Vintage Snowmobiles
 www.bayshorecad.com/Sleds
 Provided courtesy of Dan Tomlanovich

TUNG-SOL SEALED BEAM LAMPS — Continued

Tung-Sol Lamp Number	Retail Price (Per Lamp)	Dealer Price (Per Lamp)	Net Price Dealer (Pkg. of 8)	Service	Rated Volts	Watts or Amperes	Bulb	Base
4422	\$3.88	\$2.33	\$18.64	Tractor	12	35 W	PAR-46	Scr. Term.
4431	4.62	2.77	22.16	Military	12	40 W	PAR-46	3 Lug
4433A	8.58	5.15	41.20	Auto—Schl. Bus—Amb. Lens	12	75 W	PAR-56	3 Lug
4433R	12.24	7.34	58.72	Auto—Schl. Bus—Red Lens	12	75 W	PAR-56	3 Lug
4434A	6.20	3.72	29.76	Auto—Amber	12	40 W	PAR-46	Scr. Term.
4435	5.05	3.03	24.24	Auto—Spotlight	12	30 W	PAR-46	Scr. Term.
4435R	7.02	4.22	33.69	Auto—Warning—Red Lens	12	30 W	PAR-46	Scr. Term.
4439	3.31	2.05	16.33	Floodlamp	12	18 W	PAR-46	2 Lug
4440	5.16	3.10	24.80	Tractor Lens	12	40/40 W	PAR-36	3 Lug
4444	3.90	2.34	18.72	Auto—Accessory Fila. Shielded Lens Cover	12	18 W	PAR-36	Scr. Term.
4445	7.81	4.68	37.44	Snowmobile	12.8	35/35 W	PAR-36	3 Lug
4454	7.72	4.63	37.04	Snowmobile	12.8	60/60 W	PAR-36	3 Lug
4456	5.86	3.52	28.12	Motorcycle	12	30-30 W	PAR-36	3 Lug
4461	4.14	2.49	19.92	Tractor	12.8	60 W	PAR-36	Scr. Term.
4469	5.32	3.19	25.52	Tractor	12	60 W	PAR-36	Scr. Term.
4478	5.32	3.19	25.52	C.I.M. Floodlamp	12	60 W	PAR-46	2 Lug
4480	5.59	3.35	26.80	C.I.M. Floodlamp	12	60 W	PAR-46	Scr. Term.
4490A	10.36	6.21	49.64	Auto—Amber Lens	28	50 W	PAR-46	Scr. Term.
4502	5.29	3.17	25.36	Aircraft	28	50 W	PAR-36	Scr. Term.
4503	4.57	2.74	21.92	Aircraft	12	40 W	PAR-36	Scr. Term.
4509	6.17	3.70	29.60	Spotlight—Aircraft	13	100 W	PAR-36	Scr. Term.
4510	3.90	2.34	18.72	Auto—Utility	6	25 W	PAR-36	Scr. Term.
4511	3.85	2.31	18.48	Auto—Utility	6	35 W	PAR-36	Scr. Term.
4512	3.87	2.32	18.56	Bicycle Headlamp	4.7	.50 A	PAR-36	Scr. Term.
4515	4.04	2.42	19.36	Auto—Spotlight	6	30 W	PAR-36	Scr. Term.
4516	3.90	2.34	18.72	Auto—Spotlight	6	30 W	PAR-36	Scr. Term.
4524	4.65	2.79	22.32	Spotlight	6	30 W	PAR-46	Scr. Term.
4531	3.98	2.39	19.12	Military Headlamp	12	45-35 W	PAR-46	Scr. Term.
4535	4.29	2.57	20.56	Auto—Spotlight	6	30 W	PAR-46	Scr. Term.
4537	7.11	4.26	34.08	Aircraft	13	100 W	PAR-46	Scr. Term.
4546	3.55	2.13	17.04	Hand Lantern—4 F Cells	4.7	.50 A	PAR-36	Scr. Term.
4568	6.36	3.82	30.56	Snowmobile	12.8	25 W	PAR-36	Slip On
4578	5.13	3.08	24.64	C.I.M. Floodlamp	24	60 W	PAR-46	2 Lug
4579	7.00	4.20	33.60	C.I.M. Headlamp	24	80-60 W	PAR-46	3 Lug
4583	5.61	3.37	26.96	Motorcycle	6	25 W	PAR-36	Scr. Term.
4589	6.26	3.75	30.00	Spotlamp	28	50 W	PAR-36	Scr. Term.
4593	6.26	3.75	30.00	C.I.M. Floodlamp	28	50 W	PAR-36	Scr. Term.
4601	5.02	3.01	24.08	Tractor	6	30 W	PAR-36	Scr. Term.
4603	4.58	2.75	22.00	Tractor	12	35 W	PAR-36	Scr. Term.
4633A	8.39	5.04	40.32	Auto—Schl. Bus—Amb. Lens	12	75 W	PAR-46	2 Lug
4633R	8.31	4.99	39.92	Auto—Schl. Bus—Red Lens	12	75 W	PAR-46	2 Lug
4636	5.61	3.37	26.96	School Bus	12.8	75 W	PAR-46	Scr. Term.
4675	7.22	4.33	34.64	Special Service	13	75 W	PAR-36	Slip On
4811	8.39	5.04	40.32	Military Headlamp	24-28	100-50 W	PAR-36	3 Lug
4880	5.17	3.10	24.80	C.I.M. Headlamp	28	60 W	PAR-46	2 Lug

PACKING INFORMATION

Bulb Size	Smallest Unit Carton	Standard Shipping Case	Shipping Case Measurements	Shipping Case Weights (Lbs.)	Bulb Size	Smallest Unit Carton	Standard Shipping Case	Shipping Case Measurements	Shipping Case Weights (Lbs.)
B-3 1/2	10	200	6 1/2" x 4 3/8" x 5 1/4"	1 1/2	T-2	10	100	4 5/8" x 4 5/8" x 4 3/4"	1
B-6	10	100	6 1/2" x 6 1/2" x 9"	2 1/2	T-3	10	200	6 1/2" x 4 3/8" x 5 1/4"	1 1/2
C-6	10	100	6 1/2" x 6 1/2" x 9"	3	T-3 1/4	10	200	6 1/2" x 4 3/8" x 5 1/4"	1 1/2
G-3 1/2	10	200	6 1/2" x 4 3/8" x 5 1/4"	1 1/2	T-4 1/2	10	200	6 1/2" x 4 3/8" x 5 1/4"	1 1/2
G-4 1/2	10	200	6 1/2" x 4 3/8" x 5 1/4"	1 1/2	T-4 3/4	10	100	9 5/8" x 9" x 6 1/2"	1 1/2
G-5	10	200	6 1/2" x 4 3/8" x 5 1/4"	4	TL-1 3/4	10	200	6 1/2" x 4 3/8" x 5 1/4"	1
G-5 1/2	10	200	6 1/2" x 4 3/8" x 5 1/4"	1 1/2	TL-2 3/4	10	200	6 1/2" x 4 3/8" x 5 1/4"	1 1/2
G-6	10	200	9 5/8" x 9" x 6 1/2"	4	TL-3	10	200	6 1/2" x 4 3/8" x 5 1/4"	1 1/2
RP-11	10	100	7" x 7 5/8" x 14"	4 1/4	PAR-36	1	8	8 1/4" x 8 1/4" x 9"	5
S-8	10	100	6 1/2" x 6 1/2" x 9"	3	PAR-46	1	8	10" x 10" x 11"	8 1/4
S-11	10	100	7" x 7 5/8" x 14"	4 1/4	PAR-46	1	12	15 1/8" x 10 3/8" x 15 1/8"	10 1/4
T-1 3/4	10	200	6 1/2" x 4 3/8" x 5 1/4"	1	PAR-56	1	12	20" x 12" x 12"	17 3/4

SEE NEXT PAGE FOR MERCHANDISING ITEMS

TUNG-SOL BLISTER PACKED MINIATURE LAMPS



Tung-Sol Lamp No.	Retail Price Per Card (2 Lamps)	Dealer Price Per Card (2 Lamps)
53	\$0.45	\$0.272
55	.49	.291
57	.45	.272
57X	.59	.343
63	.59	.343
67	.59	.343
89	.59	.344
90	.65	.394
93	.85	.516
94	1.02	.601
194	.65	.363
211-2	1.29	.756
1003	.85	.516
1004	.85	.516
1034	1.25	.744
1034A	1.49	.894
1073	.89	.531
1129	.89	.516
1133	1.45	.916
1154	1.09	.652
1156	1.19	.703
1157	1.25	.744
1157A	1.65	.986
1157NA	2.26	1.352
1176	1.14	.730
1895	.75	.407

FULL SERVICE STOCK IN SMALL SPACE

With the TLF-1 Lamp and Flasher STOCK ORGANIZER

For each \$15.00* order for Tung-Sol miniature lamps, you can buy a merchandiser for only \$7.50. With each cabinet, Tung-Sol will include at no cost, thirty of the more popular miniature lamps. Their retail value alone comes within a dime of covering the cost of the merchandiser.

You can even make money on the deal. Here's how:

Free lamps	Sold at retail	\$ 7.40
10 #57	Installation charge	
10 #67	at 50¢ per lamp	15.00
10 #1895	Total income	\$22.40
	Cost of merchandiser	7.50
	Your profit	\$14.90

*At dealer cost

